




Initial Render Benchmark



Phase Durations



Test delayed-init-enabled-chains-cbaf1af4 JS Samples Against delayed-init-100cf18dc JS Samples




Wilcoxon rank sum test with continuity correction

If the true location shift were equal to 0, there is a %68.28 chance of observing these samples:
the result is statistically insignificant (%5 or greater chance of incorrectly rejecting the null hypothesis).

Estimated difference in location is +1.87ms, with a %95 confidence it is between -6.73ms and +10.29ms.

Test delayed-init-enabled-chains-cbaf1af4 JS Samples Against ember-master-64fe277d JS Samples




Wilcoxon rank sum test with continuity correction

If the true location shift were equal to 0, there is a %0.11 chance of observing these samples:
the result is statistically significant (less than %5 chance of incorrectly rejecting the null hypothesis).

Estimated difference in location is +13.21ms, with a %95 confidence it is between +5.44ms and +21.52ms.

Test delayed-init-100cf18dc JS Samples Against ember-master-64fe277d JS Samples



Wilcoxon rank sum test with continuity correction

If the true location shift were equal to 0, there is a %0.38 chance of observing these samples:
the result is statistically significant (less than %5 chance of incorrectly rejecting the null hypothesis).

Estimated difference in location is +12.32ms, with a %95 confidence it is between +4.05ms and +20.52ms.