

=====

Tutor: **Rahul Shetty**

Reference: **UDEMY**

Course: **Playwright JS Automation Testing from Scratch with Framework**

Content: **Summary of the course**

=====

1. Course URL: <https://www.udemy.com/course/playwright-tutorials-automation-testing/>
2. Document prepared by: **Rajat Verma**
 - a. <https://www.linkedin.com/in/rajat-v-3b0685128/>
 - b. <https://github.com/rajatt95>
 - c. <https://rajatt95.github.io/>

Softwares:

1. Programming language - Javascript
2. IDE - VS Code
 - a. <https://code.visualstudio.com/download>
 - b. Plugin
 - i. Playwright Test for VSCode
3. Engine:
 - a. <https://nodejs.org/en/download/>
4. Playwright:
 - a. <https://playwright.dev/>
 - b. `npm init playwright`**

1. Learnings from Course (UDEMY - RS - Playwright-Javascript)

a. Links:

- i. Playwright:
 1. <https://playwright.dev/>
 2. <https://playwright.dev/docs/intro>
 3. <https://playwright.dev/docs/actionability>
 4. <https://www.npmtrends.com/playwright>
 5. <https://github.com/Microsoft/playwright>
 6. <https://playwright.dev/docs/navigations>
 7. <https://playwright.dev/docs/selectors#text-selector>
 8. <https://playwright.dev/docs/api/class-test>
 9. <https://playwright.dev/docs/test-annotations>



10. <https://trace.playwright.dev/>
 11. <https://playwright.dev/docs/screenshots>
 12. <https://playwright.dev/docs/videos>
 13. <https://playwright.dev/docs/api/class-testoptions#test-options-video>
 14. <https://playwright.dev/docs/test-reporters>
- ii. Assertions:
1. <https://playwright.dev/docs/test-assertions>
 2. <https://playwright.dev/docs/test-assertions#locator-assertions-to-have-attribute>

b. Playwright:

- i. Written on the Node.js platform.
- ii. Browsers:
 1. Chromium Engine (Chrome, Edge)
 2. WebKit -
 - a. **WebKit is an in-built browser that uses the Safari engine**
 - b. This works on WIN OS as well
 3. Firefox
 4. Opera
- iii. OS:
 1. WIN, MAC, Linux
- iv. Programming languages:
 1. Javascript, Typescript, Java, Python, C#
- v. Features:
 1. Auto-wait capability
 2. **Native Mobile automation**
 - a. Android - Chrome
 - b. iOS - Safari
 3. **Traces, Videos**
 4. **Inspector tool** - Debug mode
 5. API testing
 - a. **Making calls and extract response**
 - b. **Intercepting**
 6. **Browser Context (Example: Inject Cookies to Browser)**
 7. **Codegen tool** (Generates code for many languages)
 8. **Parallel Cross Browser testing**
 9. **Reporting:**
 - a. **Playwright-report**
 - b. **Integration with Allure**

c. **Basic concepts:**

- i. Importance of **async-await**
 1. await is required when actual action is performed.
- ii. **Browser Context** and **Page Fixture**
- iii. Fixtures:
 1. Browser, page, ddsdssd, dsadsadasd
- iv. How to select the Browser for tests execution

d. **Playwright configuration file:**

i. **playwright.config.js**

1. Configuration for everything is a part of this config object
 - a. There are many properties in this config object:
2. Properties
 - a. **testDir** -> Where all the tests are present
 - b. **timeout** ->
 - i. Maximum time one test can run for
 - ii. If the test is hanged due to some reason, then, it will be reported as a Failure
 - c. **Block-expect** -> This is related to Assertions
 - i. **timeout**
 - d. **reporter** ->
 - i. How do you want to report your test results
 - ii. Other ways: JSON, etc.
 - e. **Block-use** ->
 - i. **trace** - This is for tracing (reported in Playwright report)
 - ii. **headless** - This is for the execution mode
 - iii. **screenshot** - To take screenshots at a different level
 - iv. **viewport** - To set the dimension of the Browser
 - v. **ignoreHttpsErrors** - This is to handle SSL certifications
 - vi. **permissions : ['geolocation']** - This is to give the permission for Location access
 - vii. **video** - This is to record the videos of tests

e. Playwright:

- i. Default, it starts the test execution in headless mode.
 1. We can set the mode of execution
 - a. During runtime,
 - i. `npx playwright test --headed` (Runs the E2E tests in headed mode)
 - b. In the configuration file,
 - i. `use: { headless:false/true }`
 - ii. Tests present in one spec file will execute sequentially, but, spec files will execute parallelly
 1. If you want to execute test cases in parallel:

a. `test.describe.configure({ mode : 'parallel' });`

```
tests > 09_RS_UI_Tests_Section_13 > JS 57_Assert_Title_4_TestsInOneSpecFile.spec.js > ...
1  const {test,expect} = require('@playwright/test');
2
3  test.describe.configure( { mode : 'parallel' } );
4
5  > test('RS - Playwright Test #1 - Assert_Title_4_TestsInOneSpecFile', async ({page}) => {-
16  });
17
18 > test('RS - Playwright Test #2 - Assert_Title_4_TestsInOneSpecFile', async ({page}) => {-
29  });
30
31 > test('RS - Playwright Test #3 - Assert_Title_4_TestsInOneSpecFile', async ({page}) => {-
42  });
43
44 > test('RS - Playwright Test #4 - Assert_Title_4_TestsInOneSpecFile', async ({page}) => {-
55  });
```

b.

2. Execution modes:

- a. Parallel: `npm run test_single_RS_4_TestsInOneSpecFile_Parallel`
- b. Default: `npm run test_single_RS_4_TestsInOneSpecFile_Default`
- c. Serial: `npm run test_single_RS_4_TestsInOneSpecFile_Serial`

3. NOTES:

- a. In the **Serial (Inter-Dependent)** mode case,
 - i. If 2nd test case is failed,
 1. **Then, the 3rd and 4th test case will be skipped.**
 - ii. In the default mode,
 1. **Test cases will not be skipped.**
- iii. If you want to run only 1 test case present in the spec file, then.
 1. `test.only`

f. **Test Annotations:**

i. <https://playwright.dev/docs/test-annotations>

1. `test.beforeAll(O => {});`

a. Executes 1st in the spec file or before any test case

2. `test.beforeEach(O => {});`

a. Executes before each and every test case

3. `Test.only`

g. **Playwright methods:**

i. Navigate to application:

1. `page.goto("https://www.google.com/");`

ii. Go Back and Forward:

1. `await page.goBack();`

2. `await page.goForward();`

iii. Fill value in textbox

1. `await page.locator('#password').type('learning');`

iv. Type in textbox slowly:

1. `drpdown_selectCountry.type('ind', { delay:1000 });`

v. Clear and then, fill value in textbox

1. `await page.locator('#password').fill('learning');`

vi. Click on element

1. `await page.locator('#signInBtn').click();`

vii. Click on Visible element:

1. `page.locator(" li a[href*='lifetime-access']:visible").click();`

viii. Mouse Hover on element

1. `await page.locator('#signInBtn').hover();`

ix. Extract the text of element:

1. `await page.locator('[style*=block]').textContent();`

x. Get first element from multiple elements

1. `console.log(await page.locator('.card-body').nth(0).textContent());`

2. `console.log(await page.locator('.card-body').first().textContent());`

xi. Get last element from multiple elements

1. `console.log(await page.locator('.card-body').last().textContent());`

xii. Get text of all the elements found:

1. `await title_products.allTextContents();`

a. `// ->` This will get the title of all the elements and put into one array

b. // -> Playwright does not auto-wait for this method; This will return an empty Array

xiii. Wait for Page to load

1. `await page.waitForLoadState('networkidle');`
2. `await page.waitForLoadState('domcontentloaded');`
3. `await page.waitForLoadState('load');`

xiv. Wait for element:

1. `await page.locator('div li').waitFor();`

a. This looks for one element

xv. Dropdown:

1. Static:

a. `//consult : <option value="consult">Consultant</option>`
`await drpdwn_role.selectOption('consult');`

2. Auto-Suggestive:

```
const countriesCount = options_country.locator('button').count();

for(let index=0; index<countriesCount; index++){
    ...
    const countryName = await options_country.locator('button').nth(index).textContent();
    console.log("countryName: "+countryName);

    //trim() -> To remove the spaces from country name
    if(countryName.trim() === country_ToSearch){
        console.log('Clicking on '+country_ToSearch+'.')
        await options_country.locator('button').nth(index).click();
        break;
    }
}
```

a.

xvi. Radio button:

1. `console.log(await radioBtn_user.isChecked());`

xvii. Checkbox:

1. `console.log(await checkBox_terms.isChecked());`

xviii. Child window:

```
const [newPage] = await Promise.all([
    context.waitForEvent('page'),
    msg_blinkingText.click(),
]);
```

1.

xix. Elements count:

1. `page.locator('.card-body').count();`

xx. Ways to find element on the page using text

1. `page.locator("text=Add to Cart")`
2. `page.locator("h3:has-text("+productName+")")`

xxi. Accept/Dismiss Alert/Popup/Dialog:

1. `page.on('dialog', dialog => dialog.accept());`
2. `page.on('dialog', dialog => dialog.dismiss());`

xxii. Frames:

1. `const frame_courses = page.frameLocator('#courses-iframe');`

a. `//courses-iframe -> This is the ID of this frame`

xxiii. Use Browser state (Local storage, Session storage, Cookies)

```
let webContext;

test.beforeAll(async({browser})=>{
  const context = await browser.newContext();
  const page = await context.newPage();

  await page.goto(applicationURL);
  await page.locator('#userEmail').fill('testtmail95@gmail.com');
  await page.locator('#userPassword').fill('HiRahul@123');
  await page.locator('#Login').click();
  await page.waitForLoadState('networkidle');

  // Store application state in json file.
  await context.storageState({path: 'state.json'});

  // Creating a webContext using this json file
  webContext = await browser.newContext({storageState: 'state.json'});
}); //beforeAll

test('RS - Playwright Test - RahulShettyAcademy Client App Login - Skip Login using Browser Context (JSON fil
const page = await webContext.newPage();
page.goto(applicationURL);
const tab_Home = page.locator("[routerlink='/dashboard/']");
console.log('Assertions for tab: Home')
await expect(tab_Home).toBeVisible();
});
```

1.
 - a. Store application state in json file:
 - i. `await context.storageState({path: 'state.json'});`
 - b. Now, we have to invoke the Browser using this JSON file:
 - i. Creating a webContext using this json file
 - ii. `webContext = await browser.newContext({storageState: 'state.json'});`
 - c. Use this `webContext` to create the page fixture in the Test case:
 - i. `const page = await webContext.newPage();`
 - ii. `page.goto(applicationURL);`

xxiv. Capture screenshot and put in some folder:

1. Full Page:
 - a. `await page.screenshot({path: './screenshots/Screenshot_FullPage.png', fullPage: true});`
2. Visible Screen:
 - a. `await page.screenshot({path: './screenshots/Screenshot_FullPage.png'});`
3. Element level:
 - a. `await btn_hide.screenshot({path: './screenshots/Screenshot_FullPage.png'});`
- 4.

xxv. Compare 2 images:

```
1. expect(await
page.screenshot()).toMatchSnapshot('uk.flightaware-prod.png')
;
```

h. Assertions:

- i. Page title:
 - 1. `await expect(page).toHaveTitle('Google');`
- ii. Element Text:
 - 1. `await expect(page.locator('[style*=block])).toHaveText('Incorrect username/password.');`
- iii. Element Partial Text:
 - 1. `await expect(page.locator('[style*=block])).toContainText('Incorrect username/password.');`
- iv. Radio button to be checked:
 - 1. `await expect(radioBtn_user).toBeChecked();`
- v. Checkbox to be checked:
 - 1. `await expect(checkBox_terms).toBeChecked();`
- vi. Expecting false
 - 1. `expect(await checkBox_terms.isChecked()).toBeFalsy();`
- vii. Expecting true
 - 1. `expect(await checkBox_terms.isChecked()).toBeTruthy();`
 - 2. `expect(orderID.includes(orderID_order_summary_page)).toBeTruthy();`
- viii. Attribute value:
 - 1. `await expect(btn_SignIn).toHaveAttribute('name', 'signin');`
- ix. Element Visible or Hidden:
 - 1. `await expect(txtBox_hide_show_example).toBeVisible();`
 - 2. `await expect(txtBox_hide_show_example).toBeHidden();`

i. **Playwright with API:**

- i. Call Login API and extract the token from the Response body:

```
let api_login_token;

// This is an Javascript object
const requestBody_Login = {
  userEmail: "testtmail95@gmail.com",
  userPassword: "HiRahul@123"
};

test.beforeAll(async() => {

  const apiContext = await request.newContext();
  const response_login = await apiContext.post(
    //Request URL
    'https://www.rahulshettyacademy.com/api/ecom/auth/login',
    {
      //Request Body
      data: requestBody_Login
    } //post

    //Assertion for Response status code - 200
    expect(response_login.ok()).toBeTruthy();

    //Extract the Response Body in JSON format
    const response_login_json = await response_login.json();

    //Extract the token
    api_login_token = response_login_json.token;

    console.log('api_login_token: '+api_login_token);

  });
```

1.

- ii. Inject the token into Browser's local storage:

```
test.beforeEach(async ({page}) => {

  const applicationURL = "https://www.rahulshettyacademy.com/client/";

  // Injecting the Javascript snippet in Playwright
  page.addInitScript(value => {
    // Set the item in Local storage
    window.localStorage.setItem('token', value);
  }, api_login_token);

  await page.goto(applicationURL);

});
```

1.

j. Intercepting:

i. Customize/Alter Request URL:

```
const tab_Orders = page.locator("button[routerlink='/dashboard/myorders']");
console.log('Clicking on Orders Tab');
await tab_Orders.click();

await page.route(
  // Request URL
  // 6266ccd2e26b7e1a10e8d1c5 -> ID of the product from testmail95@gmail.com account
  // https://www.raahulshettyacademy.com/api/ecom/order/get-orders-details?id=6266ccd2e26b7e1a10e8d1c5',
  // 6266ccd2e26b7e1a1232333 -> fake account
  route => route.continue({url: 'https://www.raahulshettyacademy.com/api/ecom/order/get-orders-details?id=6266ccd2e26b7e1a1232333'});
);

const btn_view_firstOrder = page.locator("button:has-text('View')").first();
console.log('Clicking on View button of first Order');
await btn_view_firstOrder.click();

console.log('Assertion for message: You are not authorize to view this order');
const msg_youAreNotAuthorized = page.locator("p:has-text('You are not authorize to view this order')");
await expect(msg_youAreNotAuthorized).toHaveText('You are not authorize to view this order');
```

1.

ii. Customize/Alter Response body:

```
await page.route(
  // Request URL (When this URL will come, we want customied response)
  'https://www.raahulshettyacademy.com/api/ecom/order/get-orders-for-customer/626551ebe26b7e1a10e8acbc',
  async route =>{
    // This is Real response
    const response = await page.request.fetch(route.request());

    // Got this response from application (From User account which has created no Orders)
    const responseBody_customized_For_NoOrderMessage = {
      message:"No Product in Cart"
    };

    // Intercepting the Response
    // We will send the customized Response to Browser and Browser will render the data on FrontEnd
    // API response -> ** Playwright intercepts here (Custom Response) ** ->Response Data send to Browser -> Browser

    route.fulfill({
      response,
      responseBody_customized_For_NoOrderMessage,
    });
  }
);
```

1.

iii. Abort Network calls: Blocking CSS to be loaded in Browser:

```
// Intercept -> Block Network call
await page.route(
  // Any Request URL which ends with CSS
  // We are blocking the CSS, jpg, png, jpeg to be loaded in Browser
  '**/*.css,jpg,png,jpeg}',

  // abort() -> it will stop the API call to reach to Browser
  route => route.abort()
);
```

1.

iv. Log all the Request URLs and Response status codes:

```
1. //on() -> It is an event
   page.on('request', request=>
     console.log(request.url())
   );

   page.on('response', response=>
     console.log(response.url()," | ", response.status())
   );

   await page.goto('https://www.rahulshettyacademy.com/loginpagePract
   await page.locator('#username').type('rahulshettyacademy');
```

k. Data-Driven:

i. Data-Driven:

```
1. testData > {} credentials_login.json > valid_username_1
   1 {
   2   "valid_username_1" : "testtmail95@gmail.com",
   3   "valid_password_1" : "HiRahul@123"
   4 }
```

```
1. const {test,expect} = require('@playwright/test');
   const {CommonUtils}=require('../utils/CommonUtils');
   const {POM_Manager} = require('../pageObjects/POM_Manager');

   //JSON -> String -> JS Object
   const credentials_login_dataSet = JSON.parse(JSON.stringify(require('../testData/credential

   test('RS - Playwright Test - POM_Optimized_Login_TestData_JSON', async ({page}) => {

     //const data_login_username = "testtmail95@gmail.com";
     //const data_login_password = "HiRahul@123";

     const data_login_username = credentials_login_dataSet.valid_username_1;
     const data_login_password = credentials_login_dataSet.valid_password_1;

     const pom_Manager = new POM_Manager(page);
     /***** Login Page - START *****/

     //const loginPage = new LoginPage(page);
     const loginPage = pom_Manager.getLoginPage();
     await loginPage.goToApplication();
     await loginPage.loginToApplication(data_login_username,data_login_password);

     /***** Login Page - END *****/
```

ii. Test script with Multiple Data Sets

```
testData > {} credentials_login_multipleDataSet.json > ...
1  [{
2    "username" : "First@gmail.com",
3    "password" : "First@1"
4  },
5  {
6    "username" : "Second@gmail.com",
7    "password" : "Second@2"
8  },
9  {
10   "username" : "Third@gmail.com",
11   "password" : "Third@3"
12  }]
```

1.

```
const {test,expect} = require('@playwright/test');
const {CommonUtils}=require('../utils/CommonUtils');
const {POM_Manager} = require('../pageObjects/POM_Manager');

// JSON -> String -> JS Object
const credentials_login_multipleDataSet = JSON.parse(JSON.stringify(require('../testData/credentials_login_multipleDataSet.json')));

//Iterating through an Array
for(const data of credentials_login_multipleDataSet){

  test(`RS - Playwright Test - POM_Optimized_Login_MultipleDataSet_JSON with Credentials: ${data.username} and ${data.password}`)
  {
    const data_login_username = data.username;
    const data_login_password = data.password;

    const pom_Manager = new POM_Manager(page);
    console.log('*****');

    /***** Login Page - START *****/
    const loginPage = pom_Manager.getLoginPage();
    await loginPage.goToApplication();
    await loginPage.loginToApplication(data_login_username,data_login_password);

    /***** Login Page - END *****/
    console.log('*****');
  });
}

test.afterEach(async() => {
  await new CommonUtils().waitForSomeTime(2);
});
```

2.

iii. Test script using Fixture:

```
utils > JS test-base.js > [e] customtest
1  const base = require('@playwright/test');
2
3  exports.customtest = base.test.extend(
4  {
5    testData_Login : {
6      username : "testtmail95@gmail.com",
7      password : "HiRahul@123"
8    }
9  }
10 )
```

1.

```

const {test,expect} = require('@playwright/test');
const {CommonUtils}=require('../utils/CommonUtils');
const {POM_Manager} = require('../pageObjects/POM_Manager');
const {customtest} = require('../utils/test-base');

customtest('RS - Playwright Test - POM_Optimized_Login_TestData_FixtureFile', async ({page, tes

... const data_login_username = testData_Login.username;
... const data_login_password = testData_Login.password;

const pom_Manager = new POM_Manager(page);
/***** Login Page - START *****/

//const loginPage = new LoginPage(page);
const loginPage = pom_Manager.getLoginPage();
await loginPage.goToApplication();
await loginPage.loginToApplication(data_login_username,data_login_password);

/***** Login Page - END *****/

});

```

2.

1. Commands:


- i. **npx playwright test** (Runs the E2E tests in headless mode)
 1. If we have marked any test case as
 - a. **test.only**
 - i. Then, only those test cases will run
 2. It will take all the projects
 - a. Chromium, Safari, Firefox
- ii. **npx playwright test --headed** (Runs the E2E tests in headed mode)
- iii. **npx playwright test --project=chromium** (Runs the tests only on Desktop Chrome)
- iv. **npx playwright test tests/example.spec.js** (Runs the tests of a specific file)
- v. **npx playwright test --debug** (Runs the tests in debug mode)
- vi. **npx playwright test --grep @Sanity** (Runs the Sanity tests)
- vii. **npx playwright codegen <https://www.google.com/>** (This will start the Recording your actions over the application)
- viii. **npx playwright show-report** (To open last HTML report run)
- ix. **npx playwright test tests/example.spec.js --config playwright.config-custom.js** (Runs with specific config file)
- x. If you have added the scripts in the package.json file, then,
 - a. **npm run open_reports**
 - b. **npm run test_single_assert_title_headed**
- xi. Allure:
 1. <https://www.npmjs.com/package/allure-playwright>
 2. Commands:
 - a. **npm i -D @playwright/test allure-playwright**
 - b. **playwright test tests/04_RS_UI_Tests_Section_7/*.spec.js --headed --reporter=line,allure-playwright**

- i. Now, you will see allure-results folder is generated in your project.


3. allure generate ./allure-results --clean (To generate the final report)

- a. Now, you will see allure-report folder is generated in your project. This folder has the final report


4. allure open ./allure-report (To open the report)



VS



VS



SELENIUM VS PLAYWRIGHT VS CYPRESS

Features	Selenium	Playwright	Cypress
Languages	Supports Java, Javascript, Python, .NET C#	Supports JavaScript, TypeScript, Java, Python, .NETC#	Supports JavaScript & TypeScript
Ease of switching languages	Not easy as method name varies in each language	Easy- Maintains consistent method names in all Langs	✗
Auto wait Mechanisms	✗	Strong Support	Strong Support
InBuilt Test Framework Support	✗	✓	✗
Handling Complex Web Scenarios like Child Windows, Frames	inbuilt Support	Inbuilt Support	Depends on external plugins for Support
Logging Features & Test Debugging	✗	Excellent	Excellent
Community Support	Excellent	Still growing as it is new	Excellent
Browsers Support	All Browsers	Chromium Engines, Firefox, Safari	Chromium Engines, Firefox
API Testing	✗	✓	✓
Network Interception	Yes from Selenium Version 4	✓	✓
Vision Testing	✗	✓	Depends on external plugins for Support
Open Source	✓	✓	Yes (Paid version available for Cloud Dashboard)
Browser Contexts	✗	✓	✗
Speed of execution	Less faster than Playwright & Cypress	Faster	Faster
Execution Pattern	Easy - Synchronous execution	Asynchronization execution	Asynchronization execution
Multiple Domains Support	✓	✓	✗
Mobile Emulation Support	✓ from Selenium Version 4	✓	✓

1. To connect:

- a. <https://www.linkedin.com/in/rajat-v-3b0685128/>
- b. <https://github.com/rajatt95>
- c. <https://rajatt95.github.io/>

THANK YOU!

