## PR7240 3.19 - Preload Fonts - Beacon insertion part

Project: WP Rocket

By Hanna, 2/20/2025 5:33 PM

Run: PR7240 3.19 - Preload Fonts - Beacon insertion part

21 Passed
95% set to Passed

0 Blocked
0% set to Blocked

0 Retest
0% set to Retest

1 Failed
5% set to Failed

95%
passed

0 / 22 untested (0%).

| Milestone | 3.19 |

Created On	2/18/2025
Completed	No

Activity

2/17/2025 – 2/20/2025:

■ **22 Passed**
81% set to Passed

■ **3 Blocked**
11% set to Blocked

■ **1 Retest**
4% set to Retest

■ **1 Failed**
4% set to Failed

Thursday, February 20, 2025

| Passed | Verify Beacon Script Excluded from WP Rocket JS Optimizations | Tested by Hanna |

| Passed | Should extend beacon delay time using filter rocket_performance_hints_optimization_delay | Tested by Hanna |

| Passed | Should bail out script injection for mobile visits when Separate Mobile Cache is disabled by filter | Tested by Hanna |

| Passed | Should bail out beacon script for not acceptable screen-sizes applied with rocket_performance_hints weight & height threshold filters | Tested by Hanna |

| Passed | Should bail out script injection for boundary size limits | Tested by Hanna |

| Passed | Should inject beacon for acceptable screen-sizes | Tested by Hanna |

| Passed | Should bail out script injection for wrong screen sizes | Tested by Hanna |

| Failed | Shouldn't inject beacon script if DONOTROCKETOPTIMIZE is true (===> has open GH https://github.com/wp-media/wp-rocket/issues/7029) | Tested by Hanna |

| Passed | Should bail out script injection when page was scrolled | Tested by Hanna |

| Blocked | Shouldn't inject beacon script if DONOTROCKETOPTIMIZE is true (===> has open GH https://github.com/wp-media/wp-rocket/issues/7029) | Marked by Hanna |

| Retest | Shouldn't inject beacon script if DONOTROCKETOPTIMIZE is true (===> has open GH https://github.com/wp-media/wp-rocket/issues/7029) | Marked by Hanna |

| Blocked | Shouldn't inject beacon script if DONOTROCKETOPTIMIZE is true (===> has open GH https://github.com/wp-media/wp-rocket/issues/7029) | Marked by Hanna |

| Passed | Shouldn't inject beacon for page visit with qs ?nowprocket=1&no_optimize=1&wpr_imagedimensions=1 with data stored in DB for OCI/LRC | Tested by Hanna |

| Passed | Shouldn't inject beacon script for loggedin users | Tested by Hanna |

| Passed | Shouldn't inject the beacon in non existing category URL | Tested by Hanna |

| Passed | Shouldn't inject the beacon in non existing category URL | Tested by Hanna |

| Blocked | Shouldn't inject the beacon in non existing category URL | Marked by Hanna |

| Passed | Shouldn't inject the script if priority elements features are disabled | Tested by Hanna |

| Passed | Should inject the beacon to cached qs /dedicated cache qs pages | Tested by Hanna |

Wednesday, February 19, 2025

| Passed | Shouldn't inject the beacon script to rss feed cache page | Tested by Hanna |

| Passed | Shouldn't inject the beacon script to the Never Cache URL page | Tested by Hanna |

Passed	Shouldn't inject Beacon script for a page with LCP/LRC status=failed	Tested by Hanna
Passed	Verify Beacon Script is Minified JS File	Tested by Hanna
Passed	Shouldn't inject Beacon script for page with LCP/LRC data already in the DB	Tested by Hanna
Passed	Should inject the beacon script into the page if any of the priority elements were not processed	Tested by Hanna
Passed	Should inject the beacon script once if we have many body tag	Tested by Hanna
Passed	Shouldn't inject beacon for page visit with qs ?wpr_lazyrendercontent	Tested by Hanna

Tuesday, February 18, 2025

Untested	Shouldn't inject the beacon in non existing category URL
Untested	Shouldn't inject beacon script if DONOTROCKETOPTIMIZE is true (===> has open GH https://github.com/wp-media/wp-rocket/issues/7029)
Untested	Shouldn't inject beacon for page visit with qs ?nowprocket=1&no_optimize=1&wpr_imagedimensions=1 with data stored in DB for OCI/LRC
Untested	Shouldn't inject beacon script for loggedin users
Untested	Shouldn't inject the script if priority elements features are disabled
Untested	Shouldn't inject the beacon script to rss feed cache page
Untested	Shouldn't inject the beacon script to the Never Cache URL page
Untested	Should inject the beacon to cached qs /dedicated cache qs pages
Untested	Verify Beacon Script Excluded from WP Rocket JS Optimizations

Untested Verify Beacon Script is Minified JS File

**Untested** Shouldn't inject Beacon script for a page with LCP/LRC status=failed

Untested Shouldn't inject Beacon script for page with LCP/LRC data already in the DB

Untested Should inject the beacon script into the page if any of the priority elements were not processed

Progress

Since 2/18/2025:

Remaining Tests
100% of tests completed.

Remaining Effort
100% of effort completed.

Ideal Progress
-0 days to go (forecast).

Forecasts & Estimates

Based on the current activity and forecasts, the projected completion date for the test run(s) is:

2/20/2025
High accuracy forecast

The test run(s) were started **2 days ago** (2/18/2025).

Completed:100%(22/22)
Elapsed:0h 0m
Tests / day: 11
Hours / day:4

Metric	By Estimate	By Forecast
Completed	0h 0m	8h 40m
To-do	0h 0m	0h 0m
Total	0h 0m	8h 40m

Tests & Results

Regression (0)

Priority Elements (0)

LRC (0)

Explore:

PSI results
Different themes/ page builders
Accessibility with keyboard tab
Template with all content ATF, content below the fold only, content below the fold+threshold, large content, no content, no HTML closure, no body closure

LRC query string (1)

ID	Title	Status
T44789	Shouldn't inject beacon for page visit with qs ?wpr_lazyrendercontent	Passed

filters-general (3)

ID	Title	Status
T44787	Should bail out beacon script for not acceptable screen-sizes applied with rocket_performance_hints weight & height threshold filters	Passed
T44786	Should bail out script injection for mobile visits when Separate Mobile Cache is disabled by filter	Passed
T44788	Should extend beacon delay time using filter rocket_performance_hints_optimization_delay	Passed

beacon script (14)

ID	Title	Status
T44768	Should inject the beacon script into the page if any of the priority elements were not processed	Passed
T44769	Shouldn't inject Beacon script for page with LCP/LRC data already in the DB	Passed
T44770	Shouldn't inject Beacon script for a page with LCP/LRC status=failed	Passed
T44771	Verify Beacon Script is Minified JS File	Passed
T44772	Verify Beacon Script Excluded from WP Rocket JS Optimizations	Passed
T44773	Should inject the beacon to cached qs /dedicated cache qs pages	Passed
T44774	Shouldn't inject the beacon script to the Never Cache URL page	Passed
T44775	Shouldn't inject the beacon script to rss feed cache page	Passed
T44776	Shouldn't inject the script if priority elements features are disabled	Passed
T44780	Shouldn't inject the beacon in non existing category URL	Passed
T44777	Shouldn't inject beacon script for loggedin users	Passed
T44778	Shouldn't inject beacon for page visit with qs ?nowprocket=1&no_optimize=1&wpr_imagedimensions=1 with data stored in DB for OCI/LRC	Passed
T44779	Shouldn't inject beacon script if DONOTROCKETOPTIMIZE is true (===> has open GH https://github.com/wp-media/wp-rocket/issues/7029)	Failed
T44790	Should bail out script injection when page was scrolled	Passed

script bailout (3)

ID	Title	Status
T44783	Should bail out script injection for wrong screen sizes	Passed

| T44784 | Should inject beacon for acceptable screen-sizes | Passed |
| T44785 | Should bail out script injection for boundary size limits | Passed |

3.18.1 (1)

ID	Title	Status
T44793	Should inject the beacon script once if we have many body tag	Passed